

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1052	spool and (brak\$ adj device)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/07/23 13:11
2	BRS	L2	10383	reel and brake	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/07/23 13:12
3	BRS	L3	124648	rotational adj speed	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/07/23 13:12
4	BRS	L4	739	2 and 3	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/07/23 13:12

	Type	L #	Hits	Search Text	DBs	Time Stamp
5	BRS	L5	219841	predetermined adj value	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/07/23 13:12
6	BRS	L6	83	4 and 5	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/07/23 13:12
7	BRS	L7	44	(maximum or peak) and 6	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/07/23 13:46
8	BRS	L8	4229	line near tension	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/07/23 13:46

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	3	7 and 8	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/07/23 13:46